Hunter Built on Innovation

PGJ

The highly durable PGJ offers all the benefits of a large rotor in a compact, spray-sized package, with waterefficient nozzles and easy arc adjustment.

KEY BENEFITS

- Headed and slotted setscrew allows radius adjustment with a Hunter Wrench or flat-blade screwdriver
- Adjustable arc from 40° to 360° to keep water in the appropriate areas
- Standard factory-installed 2.0 nozzle speeds installation
- QuickCheck[™] Arc Mechanism for fast arc adjustment



Operating Specifications

• Nozzle choices: 8 • Radius: 15' to 34' • Flow: 0.42 to 4.3 GPM

• Recommended pressure range: 30 to 50 PSI • Operating pressure range: 20 to 100 PSI • Precipitation rate: 0.6 in/hr approximately • Nozzle trajectory: 14° approximately

• Warranty period: 2 years

Factory-Installed Options

- Drain Check Valve (up to 7' of elevation) excluding PGJ-00
- · Reclaimed water ID

User-Installed Options

- Drain Check Valve (up to 7' of elevation) excluding PGJ-00 (P/N 462078SP)
- HC-50F-50M Check Valve (up to 32' of elevation)

PGI Nozzle Performance Data

PGJ Nozzie Performance Data									

Nozzle	Pressure	Radius	Flow	Precip in/hr

	PSI	ft	GPM		A
.75 • Red	30	15	0.64	0.55	0.63
	40	16	0.75	0.56	0.65
	50	17	0.85	0.57	0.65
	30	18	0.85	0.51	0.58
Red	40	19	1.0	0.53	0.62
Red	50	19	1.1	0.59	0.68
	30	21	1.3	0.57	0.66
1.5 •	40	22	1.5	0.60	0.69
Red	50	22	1.7	0.68	0.78
2.0 •	30	24	1.7	0.57	0.66
Red	40	25	2.0	0.62	0.71
	50	25	2.3	0.71	0.82
2.5 • Red	30	27	2.2	0.58	0.67
	40	28	2.5	0.61	0.71
	50	28	2.8	0.69	0.79
3.0 • Red	30	30	2.5	0.53	0.62
	40	31	3.0	0.60	0.69
	50	31	3.4	0.68	0.79
4.0 • Red	30	33	3.7	0.65	0.76
	40	34	4.0	0.67	0.77
	50	34	4.3	0.72	0.83
5.0 • Red	30	36	4.7	0.70	0.81
	40	37	5.0	0.70	0.81
	50	37	5.3	0.75	0.86

Notes:

Bold = Recommended pressure.

All precipitation rates calculated for 180 degree operation. For the precipitation rate for a 360 degree sprinkler, divide by 2.

Copyright © 2023 Hunter Industries[™]. All rights reserved.

https://www.hunterindustries.com/en-metric/irrigation-product/rotors/pgj 103123